



LCPRS LIMITED

## LOW CHARGE PRESSURE RECEIVER SYSTEMS

### Recommended Thicknesses for Urethane Insulation

Nom IRS mm	Temperature °C									
	-40	-35	-30	-25	-20	-15	-10	0	5	10
13	51	51	38	38	38	38	25	25	25	25
19	51	51	51	51	38	38	38	25	25	25
25	51	51	51	51	38	38	38	38	25	25
32	64	51	51	51	38	38	38	38	38	38
38	64	51	51	51	38	51	38	38	38	38
51	64	51	51	51	51	51	38	38	38	38
64	64	64	51	51	51	51	51	38	38	38
76	64	64	64	64	51	51	51	38	38	38
89	64	64	64	64	51	51	51	38	38	38
102	64	64	64	64	51	51	51	38	38	38
114	64	64	64	64	51	51	51	51	38	38
127	76	64	64	64	51	64	51	51	38	38
152	76	64	64	64	64	64	51	51	38	38
203	76	76	64	64	64	64	51	51	38	38
254	76	76	76	76	64	64	64	51	38	38
305	76	76	76	76	64	64	64	51	38	38
356	89	76	76	76	64	64	64	51	38	38
406	89	76	76	76	64	64	64	64	38	38
457	89	76	76	76	64	64	64	64	38	38
508	89	76	76	76	64	64	64	64	51	51
610	89	89	76	76	64	76	64	64	51	51
750	100	89	89	89	76	76	64	64	64	64
900	100	100	89	89	76	76	64	64	64	64
1200	100	100	100	89	76	89	64	64	64	64